



Poster Program

[P.01]

Association between biopsychosocial factors and pain parameters among patients with chronic pain in rheumatic diseases: A cross-sectional study.

Gopal Nambi*¹, Reem M. Basuodan², Reem Alwhaibi², Saud M. Alrawaili¹, Osama R. Aldhafian³, Naif A. Nwihadh³, Anju Verma⁴, ¹*Department of Health and Rehabilitation Sciences, College of Applied Medical Sciences, Prince Sattam bin Abdulaziz University,, Saudi Arabia,* ²*Department of Rehabilitation Sciences, College of Health and Rehabilitation Sciences, Princess Nourah bint Abdulrahman University, P.O.Box 84428,, Saudi Arabia,* ³*Department of Surgery, College of Medicine, Prince Sattam Bin Abdulaziz University,, Saudi Arabia,* ⁴*Department of Exercise and Sports, University of Sydney,, Australia*

[P.02]

Characteristics of Adult Onset Still's disease in men

Karima Dagher Abbaci*¹, Nazim Laraba², Imad Bendimerad³, Sakina Moulay⁴, Nadia Ait Hamadouche⁵, Amel Otman⁶, Mohamed Makrelouf⁷, Abdelkrim Berrah⁴, ¹*Internal Medicine Department University of Algiers 11, Algeria,* ²*University of Algiers 1 1, Algeria,* ³*University of Algiers, Algeria,* ⁴*University of Algiers 1, Algeria,* ⁵*Epidemiology Department University of Algiers 1, Algeria,* ⁶*Biochemistry, hematology and genetics laboratory University of Algiers 1, Algeria,* ⁷*Biochemistry, hematology and genetics laboratory of Algiers 1, Algeria*

[P.03]

Striking sex differences in magnetic resonance imaging findings in the sacroiliac joints in the population

Xenofon Baraliakos*¹, Adrian Richter², Carsten Oliver Schmidt², Robin Bülow³, Juergen Braun¹, ¹*Rheumazentrum Ruhrgebiet, Germany,* ²*Institute for Community Medicine, University Medical Center, Germany,* ³*Department of Diagnostic Radiology and Neuroradiology, Germany*

[P.04]

New start in designing physical activity program considering pathognomonic sex-specific dysplasia phenotypes

Maria Sankova^{*1}, Vladimir Nikolenko^{1,2}, Marina Oganeyan¹, Negoriya Rizaeva¹, Andjela Vovkigon¹,
¹*I.M.Sechenov First Moscow State Medical University (Sechenov University), Russia,*²*Lomonosov Moscow State University, Russia*

[P.05]

Sex Differences in a Murine Model of Osteoarthritis

Sabah Bharde, Sara Caxaria, Shafaq Sikandar^{*}, *Queen Mary University of London, UK*

[P.06]

The impact of Systemic Sclerosis (SSc) on women's health evaluated with a new SSc-specific patient-reported questionnaire

Liala Moschetti^{*1}, Laura Andreoli¹, Eleonora Pedretti¹, Francesca Cucchi¹, Andrea Lojacono², Francesca Ramazzotto³, Cristina Zanardini³, Sonia Zatti³, Angela Tincani¹, Franco Franceschini¹, Paolo Airò¹, Maria Grazia Lazzaroni¹, ¹*Rheumatology and Clinical Immunology, ASST Spedali Civili of Brescia, University of Brescia, Italy,*²*Obstetrics and Gynaecology, ASST Garda, Desenzano del Garda, Italy,*³*Obstetrics and Gynaecology, ASST Spedali Civili of Brescia, University of Brescia, Italy*

[P.07]

Clinical characteristics of early-onset pediatric systemic lupus erythematosus in China

Yipei Hou, Li Wang, Xuemei Tang^{*}, *Children's Hospital of Chongqing Medical University, China*

[P.08]

Gender impact on Chinese patients with Axial spondyloarthritis

Shangzhu Zhang^{*}, Jinmei Su, Xiaofeng Zeng, QIngyang Li, *Peking Union Medical College Hospital, China*

[P.09]

Mechanistic implication of estrogen-regulated rheumatoid arthritis progression

Debolina Chakraborty^{*1,2}, Swati Malik^{1,2}, Prachi Agnihotri^{1,2}, ¹*CSIR- Institute of Genomics and Integrative Biology, India,*²*AcSIR- Academy of Scientific and Innovative Research, India*

[P.10]

Biologic sex differences in ICD-9 and ICD-10-CM code usage in a cohort of juvenile idiopathic arthritis patients

Kelsi Vela¹, Hannah Peterson¹, Anna Patrick^{*2}, ¹*Lipscomb University College of Pharmacy and Health Sciences, USA,* ²*Vanderbilt University Medical Center, USA*

[P.11]

The prostate plays a role in serum urate levels and the risk of gout in men: a genetic association study

Mariana Urquiaga^{*1}, Megan Leask¹, Brooke Maxwell², Sara Lewis², Eric E. Kelley², Tony Merriman¹, ¹*Division of Clinical Immunology and Rheumatology, University of Alabama at Birmingham, USA,* ²*Department of Physiology and Pharmacology, West Virginia University, USA*

[P.12]

Endometriosis in rheumatic diseases: a tip of an iceberg in menstrual related disorders spectrum.

Martina Orlandi^{*1}, Silvia Vannuccini², Silvia Bellando Randone¹, Serena Guiducci¹, Marco Matucci Cerinic^{1,3}, Felice Petraglia², ¹*Department of Experimental and Clinical Medicine, University of Florence, Italy,* ²*Obstetrics and Gynecology, Department of Maternity and Infancy, AOU Careggi Florence,, Italy,* ³*Unit of Immunology, Rheumatology, Allergy and Rare diseases (UnIRAR), IRCCS San Raffaele Hospital, Italy*

[P.13]

Risk prediction model for progressive hand osteoarthritis in females and males

Karishma Shah^{*1}, Garrett Bullock^{2,3}, Rebecca Cleveland⁴, Amanda Nelson⁴, Alan Silman¹, Dominic Furniss¹, Gary Collins⁵, Nigel Arden², ¹*Botnar Research Centre, Nuffield Department of Orthopaedics, Rheumatology, and Musculoskeletal Sciences, University of Oxford, UK,* ²*Centre for Sport, Exercise and Osteoarthritis Research, Versus Arthritis, Nuffield Department of Orthopaedics, Rheumatology, and Musculoskeletal Sciences, University of Oxford, UK,* ³*Department of Orthopaedic Surgery, Wake Forest School of Medicine, Winston-Salem, USA,* ⁴*Thurston Arthritis Research Center, University of North Carolina at Chapel Hill, Chapel Hill, USA,* ⁵*Centre for Statistics in Medicine, Nuffield Department of Orthopaedics, Rheumatology, and Musculoskeletal Sciences, University of Oxford, UK*

[P.14]

Challenges of caring for transgender and gender diverse patients with rheumatic disease. Presentation of seven patients and review of the literature

Kristen Mathias*¹, Lauren Mathias², Abhimanyu Amarnani³, Tracey Samko⁴, Robert G. Lahita⁵, Richard S. Panush⁴, ¹*University of Chicago, USA*, ²*PIH Health, USA*, ³*New York University Langone Health, USA*, ⁴*Los Angeles County + University of Southern California (LAC+USC) Medical Center, USA*, ⁵*St. Joseph's Healthcare System, USA*

[P.15]

Finding the culprit in paraneoplastic Raynaud's phenomenon – differences between men and women

Tiago Beirão*, Beatriz Samões, Diogo Fonseca, Catarina Rua, Romana Vieira, Joana Abelha, Flavio Campos, Taciana Videira, Patricia Pinto, *Centro Hospitalar Vila Nova de Gaia/Espinho, Portugal*

[P.16]

Sex-related differences in systemic sclerosis: possible prognostic role of the overlap autoimmunity

Gabriele Amati*¹, Amelia Spinella¹, Gilda Sandri^{1,2}, Alessandra Melegari³, Marco De Pinto¹, Sabrina Rondinone¹, Maria Teresa Mascia¹, Dilia Giuggioli^{1,2}, ¹*Scleroderma Unit, University of Modena and Reggio Emilia, Italy*, ²*Department of Medical and Surgical Sciences of Children and Adults, University of Modena and Reggio Emilia, Italy*, ³*Department of Laboratory Medicine and Anatomical Pathology, AOU of Modena, Italy*

[P.17]

Gender differences In genetic polymorphism and clinical manifestation of Systemic Lupus Erythematosus (SLE) in the Malaysian population

Syahrul Sazliyana Shahrir*¹, Abdul Khalif Adha Abd Talib², Nor Azian Abdul Murad², Noraidatulakma Abdullah², Elena Aisha Azizan¹, ¹*Department of Internal Medicine, Universiti Kebangsaan Malaysia Medical Centre (UKMMC), Malaysia*, ²*Universiti Kebangsaan Malaysia Medical Molecular Biology Institute (UMBI), Malaysia*

[P.18]

Polygenic prediction of rheumatic conditions using ancient DNA

Kaisar Dauyey*, *SOKENDAI, Japan*

[P.19]

Catastrophic antiphospholipid syndrome from a gender perspective in Mexico

Luis Del Carpio-Orantes*¹, Brenda López-Benjume², Sergio García-Méndez³, ¹*Instituto Mexicano del Seguro Social, Mexico*, ²*Hospital Clinic, Spain*, ³*Hospital Regional de Alta Especialidad de Oaxaca, Mexico*

[P.20]

Genetic and gender polymorphism of Behcet's disease

Regina Goloeva, Zemfira Alekberova, Kamila Nurbaeva*, Ella Turgieva, *VA Nasonova Research Institute of Rheumatology, Russia*

[P.21]

Gender differences in neuropathic pain in subjects with rheumatoid arthritis and osteoarthritis

Kathryn Biddle*^{1,2}, Franklyn Howe¹, Nidhi Sofat^{1,2}, ¹*St Georges University, UK*, ²*St Georges NHS Foundation Trust, UK*

[P.22]

Sex based differences in sonographic assessment among patients with psoriatic arthritis

Ari Polachek*, Victoria Furer, Jonathan Wollman, David Levartovsky, Sara Borok, Valerie Alush, Daphna Paran, Ori Elkayam, *Department of Rheumatology, Tel Aviv Sourasky Medical Center, Sackler Faculty of Medicine, Tel Aviv University, Israel*

[P.23]

Clinical characteristics of Behçet's syndrome in children

Fenghua Chen, Xuemei Tang*, *Children's Hospital of Chongqing Medical University, China*

[P.24]

Sex differences in rheumatic diseases vs. effective and safe treatment: Potential of short peptides

Joanna Bojarska*, *Technical University of Lodz, Zeromskiego 116, 90-924 Lodz, Poland, Poland*

[P.25]

Neurological involvement in a cohort of Egyptian Female patients with the diagnosis of autoimmune rheumatic diseases.

Reem Hamdy A Mohammed*^{1,2}, Doaa Hassan¹, ¹*School of Medicine- Cairo University, Egypt*, ²*Royal College of Physicians, UK*

[P.26]

Are tools to capture disease activity reflecting the true impact of quality of life in women with axial spondyloarthritis?

Sinead Maguire^{*1,2}, Fiona Wilson², Phil Gallagher³, Finbar O'Shea^{1,2}, ¹St James' Hospital, Ireland,²Trinity College Dublin, Ireland,³St Vincent's Hospital, Ireland

[P.27]

Manifestations of behcet's disease and gender differences

Regina Goloeva, Zemfira Alekberova, Kamila Nurbaeva^{*}, ¹V.A. Nasonova Research Institute of Rheumatology, Russia

[P.28]

Gender and clinical aspects of behcet`s disease

Regina Goloeva, Zemfira Alekberova, Kamila Nurbaeva^{*}, ¹V.A. Nasonova Research Institute of Rheumatology, Russia

[P.29]

Ocular manifestations of behcet's disease

Regina Goloeva¹, Alekberova Zemfira¹, Kamila Nurbaeva^{*1}, Ella Turgieva², ¹V.A. Nasonova Research Institute of Rheumatology, Russia,²VA Nasonova Research Institute of Rheumatology, Russia

[P.30]

Osteoporotic fractures and 10-year risk of fractures in patients with systemic sclerosis

Arina Sorokina, Natalia Torooptsova, Nikolay Demin, Lidia Ananyeva^{*}, ¹V.A. Nasonova Research Institute of Rheumatology, Russia

[P.31]

Risk factors for osteoporosis in patients with systemic sclerosis

Arina Sorokina, Natalia Torooptsova, Nikolay Demin, Lidia Ananyeva^{*}, ¹V.A. Nasonova Research Institute of Rheumatology, Russia

[P.32]

Modifying Anti-rheumatic Drugs (DMARDs) and Biologic Therapy use during Pregnancy: A Single-center Mixed Methods Study

Lauren Glick¹, Justin Shamis², Taneisha McGhie^{3,4}, Dharini Mahendira^{*1,5}, ¹*University of Toronto, Canada*, ²*North York General Hospital, Canada*, ³*University of the West Indies, Jamaica*, ⁴*Cornwall Regional Hospital, Jamaica*, ⁵*Unity Health - St. Michael's Hospital, Canada*

[P.33]

National burden of rheumatoid arthritis in Canada 1990-2019: Findings from the Global Burden of Disease Study 2019. A GBD collaborator-led study

Nejat Hassen^{*1,2}, Diane Lacaille^{1,2}, Marjan Mansourian³, Alice Xu¹, Amani Alandejani¹, Sophia Sidi¹, Nizal Sarrafzadegan^{1,3}, Jacek Kopec^{1,2}, ¹*The University of British Columbia, Canada*, ²*Arthritis Research Canada, Canada*, ³*Isfahan University of Medical Sciences, Iran*

[P.34]

Functional disability in older adults from Amazonas State - Brazil with low back pain and biopsychosocial factors: a cross-sectional study

Ingred Merllin Batista de Souza^{*1}, Lilian Regiani Merini², Rafaella de Souza Pereira Rodrigues², Adriana de Sousa do Espírito Santo¹, Amélia Pasqual Marques¹, ¹*University of Sao Paulo, Brazil*, ²*Federal University at Amazonas, Brazil*

[P.35]

Sex differences in systemic sclerosis: a cross-sectional study

Marcelo Neto^{*1}, Fernando Albuquerque¹, Ana Maduro¹, André Saraiva¹, Helena Assunção¹, Mariana Luís^{1,2}, Tânia Santiago^{1,2}, Maria J. Salvador^{1,2}, ¹*Rheumatology Department, Centro Hospitalar Universitário de Coimbra, Portugal*, ²*Faculty of Medicine, University of Coimbra, Portugal*

[P.36]

Quality of life and acceptance of illness in RA patients - gender differences

Wojciech Tański^{*}, *4th Military Teaching Hospital, Poland*

[P.37]

Sex disparities in COVID 19 outcomes among patients with Rheumatoid Arthritis (RA) – A population based study using US EHR data

Xiaofeng Zhou^{*1}, Ling Li², Rongjun Shen², Leo Russo³, Oladayo Jagun², ¹Pfizer Inc, USA,²Pfizer Inc., USA,³Pfizer Inc., USA

[P.38]

Gender disparities in healthcare of Rheumatoid Arthritis in a health system with financial equity

Norman Maldonado^{*1}, Sergio Prada², Andres Hormaza², Geordan Shannon³, Lina Buchely⁴, Sandra Camacho¹, ¹PROESA, Universidad Icesi, Colombia,²Fundación Valle del Lili,, Colombia,³UCL Institute for Global Health, UK,⁴Universidad Icesi, Colombia

[P.39]

Associations of gender with sexual functioning, loneliness, depression, fatigue, and physical function among patients suffering from rheumatoid arthritis – with a particular focus on Methotrexate usage

Laila T. Bay^{*1}, Dorthe S. Nielsen², Caroline Flurey³, Annamaria Giraldi⁴, Sören Möller⁵, Christian Graugaard⁶, Torkell Ellingsen⁷, ¹Odense University Hospital, Denmark,²Department of Geriatrics, Odense University Hospital, Denmark,³Faculty of Health and Applied Sciences, University of the West of England,, UK,⁴Sexological Clinic, Psychiatric Centre Copenhagen & Institute for Clinical Medicine, Copenhagen University, Denmark,⁵OPEN, Odense University Hospital & University of Southern Denmark, Denmark,⁶Center for Sexology Research, Department of Clinical Medicine, Aalborg University, Denmark,⁷Rheumatology Research Unit, Department of Rheumatology, Odense University Hospital & University of Southern Denmark, Denmark

[P.40]

Sex differences in time to initiation of bDMARDs among patients with axial spondyloarthritis: a retrospective analysis of US claims data

Divya Shridharmurthy^{1,2}, Kate Lapane¹, Jonggyu Baek¹, Anthony Nunes¹, Jonathan Kay^{1,3,4}, Shao-Hsien Liu^{*1,3}, ¹Division of Epidemiology, Department of Population and Quantitative Health Sciences, UMass Chan Medical School, USA,²Clinical and Population Health Research Program, Graduate School of Biomedical Sciences, UMass Chan Medical School, USA,³Division of Rheumatology, Department of Medicine, UMass Chan Medical School, USA,⁴Division of Rheumatology, UMass Memorial Medical Center, USA

[P.41]

Females fare worse in all patient-related outcomes in Western Cape, south africa

Emma Cora Gardiner^{*}, Bridget Hodkinson, University of Cape Town, South Africa

[P.42]

Patients with axial spondyloarthritis present with gender-related differences regarding disease burden and outcomes

Katinka Albrecht^{*1}, Katja Thiele¹, Jutta Richter², Kirsten Karberg³, Tobias Alexander⁴, Ute Seeland⁵, Anja Strangfeld^{1,4}, Johanna Callhoff^{1,5}, ¹*German Rheumatism Research Centre, Germany*, ²*Medical Faculty, Policlinic for Rheumatology and Hiller Research Centre for Rheumatology, Heinrich-Heine-University Duesseldorf, Germany*, ³*Rheumatological Practice, Germany*, ⁴*Charité-Universitätsmedizin Berlin, Department of Rheumatology and Clinical Immunology, Germany*, ⁵*Charité-Universitätsmedizin Berlin, Institute for Social Medicine, Epidemiology and Health Economics, Germany*

[P.43]

Sex bias in systemic lupus erythematosus - A single-center retrospective analysis

Shupe Gao, Xinlu Li, Xiaoquan Rao, Lingli Dong, Jixin Zhong^{*}, *Tongji Hospital, Huazhong University of Science and Technology, China*

[P.44]

Gender characteristics of Takayasu arteritis course and outcomes

Irina Borodina^{*}, Artem Popov, Lubov Shardina, *Urals State Medical University, Russia*

[P.45]

The impact of gender of disease activity and outcome of patients with inflammatory arthritis.

James Veale^{*1,2}, Kieran Murray^{1,2}, Francis Young^{1,2}, Matthew Turk^{1,2}, Taj Saber^{1,2}, Carl Orr^{1,2}, ¹*EULAR Centre for Arthritis and Rheumatic Diseases, Ireland*, ²*St. Vincents University Hospital UCD, Ireland*

[P.46]

Male and female ratio in systemic sclerosis and in selected group of patients with interstitial lung disease associated with systemic sclerosis on rituximab therapy

Lidia Ananyeva^{*}, Liudmila Garzanova, Olga Koneva, Oxana Desinova, Mayya Starovoytova, Olga Ovsyannikova, Rushana Shayakhmetova, Anna Khelkovskaya-Sergeeva, *V.A. Nasonova Research Institute of Rheumatology, Russia*

[P.47]

Sex differences in the efficacy and safety of tofacitinib in rheumatoid arthritis patients: a post hoc analysis of Phase 3 and long-term extension trials

Niall Jones¹, Vibeke Strand², Hendrik Schulze-Koops³, Eduardo Mysler⁴, Cassandra D Kinch^{*5}, David C Gruben⁶, Rebecca Germino⁷, Carol A Connell⁶, Lihi Eder⁸, ¹*Division of Rheumatology, University of Alberta, Canada,* ²*Division of Immunology/Rheumatology, Stanford University, USA,* ³*Division of Rheumatology and Clinical Immunology, Department of Internal Medicine IV, University of Munich, Germany,* ⁴*Organización Médica de Investigación, Argentina,* ⁵*Pfizer Canada ULC, Canada,* ⁶*Pfizer Inc, USA,* ⁷*Pfizer Inc, USA,* ⁸*Women's College Research Institute, Department of Medicine, University of Toronto, Canada*

[P.48]

Clinical features differ between female and male psoriatic arthritis patients: an analysis of the German disease registry RABBIT-SpA

Lisa Lindner^{*}, Anja Weiss, Andreas Reich, Anja Strangfeld, Anne C. Regierer, *German Rheumatism Research Centre, Germany*

[P.49]

Sex differences in the efficacy, safety and persistence of tofacitinib in patients with psoriatic arthritis: a post hoc analysis of Phase 3 studies

Lihi Eder^{*1}, Dafna Gladman², Philip Mease³, Remy A Pollock⁴, Rayana Luna⁴, Sibel Z Aydin⁵, Alexis Ogdie⁶, Ari Polachek⁷, David C Gruben⁸, Mary Jane Cadatal⁹, Cassandra D Kinch¹⁰, Vibeke Strand¹¹, ¹*Women's College Research Institute, University of Toronto, Canada,* ²*Schroeder Arthritis Institute, Krembil Research Institute, Toronto Western Hospital, Canada,* ³*Swedish Medical Center/Providence St. Joseph Health and the University of Washington, USA,* ⁴*Pfizer Canada ULC, Canada,* ⁵*University of Ottawa, Ottawa Hospital Research Institute, Canada,* ⁶*Departments of Medicine/Rheumatology, Perelman School of Medicine, University of Pennsylvania, USA,* ⁷*Rheumatology Department, Tel Aviv Sourasky Medical Center, Sackler Faculty of Medicine, Tel Aviv University, Israel,* ⁸*Pfizer Inc, USA,* ⁹*Pfizer Inc, The Philippines,* ¹⁰*Pfizer Canada ULC, Canada,* ¹¹*Division of Immunology/Rheumatology, Stanford University, USA*

[P.50]

Sex influence on outcomes of systemic sclerosis patients with interstitial lung disease: a European Scleroderma Trials and Research (EUSTAR) analysis.

Corrado Campochiaro^{*1}, Anna-Maria Hoffman-Vold², Jérôme Avouac³, Jörg Henes⁴, Jeska de Vries-Bouwstra⁵, Vanessa Smith⁶, Elise Siegert⁷, Paolo Airò⁸, Fahrettin Oksel⁹, Raffaele Pellerito¹⁰, Marie Vanthuyne¹¹, Maria Rosa Pozzi¹², Murat Inanc¹³, Jean Sibilila¹⁴, Armando Gabrielli¹⁵, Oliver Distler¹⁶, Yannick Allanore³, ¹*IRCCS San Raffaele Hospital, Vita-Salute San Raffaele University, Italy,* ²*Department of Rheumatology, Oslo University Hospital, Norway,* ³*Service de Rhumatologie, Hôpital Cochin, APHP,*

Université Paris Descartes, France,⁴University Hospital Tuebingen, Centre for Interdisciplinary Clinical Immunology, Rheumatology and Auto-inflammatory Diseases and Department of Internal Medicine II, Germany,⁵Department of Rheumatology, Leiden University Medical Center, The Netherlands,⁶Department of Rheumatology, Ghent University Hospital, Belgium,⁷Department of Rheumatology and Clinical Immunology, Charité-Universitätsmedizin Berlin, Germany,⁸Rheumatology and Clinical Immunology, Spedali Civili, Italy,⁹Division of Rheumatology, Department of Internal Medicine, Faculty of Medicine, Ege University, Turkey,¹⁰Rheumatology Unit, Maurizio Umberto I Hospital, Italy,¹¹Department of Rheumatology, Cliniques Universitaires Saint-Luc, Université Catholique de Louvain, Belgium,¹²Rheumatology Unit, S. Gerardo Hospital, Italy,¹³Division of Rheumatology, Department of Internal Medicine, Istanbul Faculty of Medicine, Istanbul University, Turkey,¹⁴Service de Rhumatologie, Hôpitaux Universitaires de Strasbourg, France,¹⁵Università Politecnica Delle Marche, Italy,¹⁶Department of Rheumatology, University Hospital Zürich, University of Zürich, Switzerland

[P.51]

Gender equity in rheumatology in Germany, where do we stand? – Preliminary results from a nationwide online survey among rheumatologists in Germany

Johanna Mucke^{*1,2}, Xenofon Baraliakos^{3,2}, Eugen Feist^{4,2}, Barbara Gundelach⁵, Isabell Haase^{1,2}, Bimba F Hoyer^{6,2}, Uta Kiltz^{3,2}, Michaela Köhm^{7,2}, Martin Krusche^{8,2}, Philipp Sewerin^{3,1,2}, Anna Voormann^{5,2}, Sarah Ohrndorf^{9,2}, ¹Polyclinic and Hiller Research Center, University Clinic Duesseldorf, Germany,²Commission for Gender Equity in Rheumatology, German Society for Rheumatology, Germany,³Ruhr-University Bochum, Rheumazentrum Ruhrgebiet, Germany,⁴HELIOS Clinic Vogelsang-Gommern, Department of Rheumatology and Immunology, Germany,⁵German Society for Rheumatology, Germany,⁶University Clinic Schleswig-Holstein, Rheumatology and Clinical Immunology, Campus Kiel, Germany,⁷Fraunhofer IME-TMP, Clinical Research, Germany,⁸Universitätsklinikum Hamburg-Eppendorf, Center for Internal Medicine and Rheumatology, Germany,⁹Charité, Department of Rheumatology and Clinical Immunology, Germany

[P.52]

Gender-sensitive assessment of young rheumatologist' needs: findings from an online survey in Germany

Ellen Kuhlmann, Stefanie Homann, Diana Ernst, Alexandra Dopfer-Jablonka^{*}, *Medical School Hannover, Germany*

[P.53]

The academic career in italian rheumatology: a glass ceiling yet to be broken

Francesca Romana Spinelli¹, Elisa Gremese², Marta Mosca³, Silvia Laura Bosello⁴, Paola Conigliaro⁵, Cristina Iannucelli⁶, Marta Vadacca⁷, Maria Sole Chimenti^{*5}, Roberto Caporali⁸, ¹Sapienza Università di Roma, Italy,²Università Cattolica del Sacro Cuore, Italy,³Università di Pisa, Italy,⁴Fondazione Policlinico

Universitario A. Gemelli, Italy,⁵Università di Roma Tor Vergata, Italy,⁶AOU Policlinico Umberto I, Italy,⁷Fondazione Policlinico Campus Bio Medico, Italy,⁸Università di Milano, Italy

[P.54]

Gender differences in scientific output, perceived burden and care responsibilities among rheumatology health care professionals: a literature review and cross-sectional survey examining the impact of COVID-19

Margaret Renn Andrews^{*1}, Chiara Kirchler², Erika Mosor¹, Kylie Thaler³, Tanja Stamm¹, Christina Duftner⁴, Ruth Fritsch-Stork^{2,3,5}, ¹*Section for Outcomes Research, Center for Medical Statistics, Informatics, and Intelligent Systems, Medical University of Vienna, Austria,*²*School of Medicine, Sigmund Freud University Vienna, Austria,*³*1st Medical Department of Internal Medicine, Hanusch Hospital of the Austrian Health Insurance Fund, Austria,*⁴*Medical University Innsbruck/Tirol Kliniken, Clinical Division of Internal Medicine II, Austria,*⁵*Ludwig Boltzmann Institute of Osteology, Hanusch Hospital and AUVA Trauma Center Meidling, Austria*

[P.55]

Gender Equity in the Asia Pacific: Comparison of India and Philippine Rheumatology Conferences.

Lisa Traboco^{*1}, Geraldine Zamora^{2,1}, Sheila Reyes³, Kavitha Mohanasundaram⁴, Annamalai Sowndhariya⁵, Vinod Ravindran⁶, Pavel Ovseiko⁷, Latika Gupta^{8,9,10}, ¹*St Lukes Medical Center, The Philippines,*²*University of the Philippines - Philippine General Hospital, The Philippines,*³*St Lukes Medical Center, The Philippines,*⁴*Saveetha Medical College Hospital, India,*⁵*MIOT Hospital, India,*⁶*Centre for Rheumatology, Kozhikode, India,*⁷*John Radcliffe Hospital, UK,*⁸*Department of Rheumatology, Royal Wolverhampton Hospitals NHS Trust, UK,*⁹*City Hospital, Sandwell and West Birmingham Hospitals NHS Trust, UK,*¹⁰*Centre for Musculoskeletal Research, School of Biological Sciences, The University of Manchester, UK*

[P.56]

Is there a gender gap in global rheumatology leadership?

Tayyeba Khurshed^{*1}, Ghita Harifi^{2,3}, Pavel Ovseiko⁴, Harish G Shekar⁵, Humeira Badsha⁶, Latika Gupta^{7,8,9}, ¹*Department of Rheumatology, Pakistan Institute of Medical Sciences, Pakistan,*²*Department of Rheumatology, Mediclinic Parkview Hospital, United Arab Emirates,*³*Mohammed Bin Rashid University of Medicine, United Arab Emirates,*⁴*Radcliffe Department of Medicine, University of Oxford, UK,*⁵*Rajarajeswari Medical College and Hospital, India,*⁶*Dr. Humeira Badsha Medical Center, United Arab Emirates,*⁷*Department of Rheumatology, Royal Wolverhampton Hospitals NHS Trust, UK,*⁸*City Hospital, Sandwell and West Birmingham Hospitals NHS Trust, UK,*⁹*Division of Musculoskeletal and Dermatological Sciences, Centre for Musculoskeletal Research, School of Biological Sciences, The University of Manchester, UK*

[P.57]

Gender diversity & disparity in academics, research, and publishing

Tayyibah Shah Alam*, Nayantara Shenoy, Joe Thomas, Geetha Philips, *Aster Medcity hospital, India*

[P.58]

Perinatal outcomes in women with primary Sjogren's Syndrome

Lauren Tesoriero*, Maria Dynkin, Julie Piccione, Steven Carsons, Julie Nusbaum, *NYU Langone Long Island, USA*

[P.59]

Menstruation-related disorders in woman with Rheumatic disease: bleeding and pain.

Martina Orlandi*¹, Silvia Vannuccini², Silvia Bellando Randone¹, Serena Guiducci¹, Marco Matucci Cerinic^{1,3}, Felice Petraglia², ¹*Department of Experimental and Clinical Medicine, University of Florence, Italy,* ²*Obstetrics and Gynecology, Department of Maternity and Infancy, University of Florence, Italy,* ³*Unit of Immunology, Rheumatology, Allergy and Rare diseases (UnIRAR), IRCCS San Raffaele Hospital, Italy*

[P.60]

Sex differences in the experienced burden of adverse drug reactions attributed to adalimumab and etanercept by patients with immune-mediated inflammatory diseases

Helen Gosselt*¹, Jette van Lint¹, Leanne Kosse¹, Sander Tas², Phyllis Spuls³, Harald Vonkeman⁴, Michael Nurmohamed⁵, Martijn van Doorn⁶, Bart van den Bemt⁷, Naomi Jessurun¹, ¹*Netherlands pharmacovigilance center Lareb, The Netherlands,* ²*Amsterdam UMC, location AMC, University of Amsterdam and Amsterdam Rheumatology & Immunology Center (ARC), The Netherlands,* ³*Amsterdam UMC, location AMC, The Netherlands,* ⁴*University of Twente, The Netherlands,* ⁵*Reade, The Netherlands,* ⁶*Erasmus MC, The Netherlands,* ⁷*Sint Maartenskliniek, The Netherlands*

[P.61]

Sex differences in adverse drug reactions from biological use in patients with immune-mediated inflammatory diseases

Helen Gosselt*¹, Jette van Lint¹, Sander Tas², Bart van den Bemt³, Harald Vonkeman⁴, Frank Hoentjen⁵, Michael Nurmohamed⁶, Martijn van Doorn⁷, Naomi Jessurun¹, ¹*Netherlands pharmacovigilance center Lareb, The Netherlands,* ²*Amsterdam UMC, location AMC, University of Amsterdam and Amsterdam Rheumatology & Immunology Center (ARC), The Netherlands,* ³*Sint Maartenskliniek, The Netherlands,*

Netherlands,⁴University of Twente, The Netherlands,⁵University of Alberta, Canada,⁶Reade, The Netherlands,⁷Erasmus MC, The Netherlands